EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S47	1	"20050190907".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 12:29
S56	1	voicexml same sr-3511	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:01
S94	1	vxml and (ain adj protocol)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:22
S99	1	ain adj network adj controller	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:24
S103	1	ain and (network adj session adj controller)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:28
S111	1	"7130408".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:46
S122	1	(ain adj protocol) same translation	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:15
S142	1	"20040141596".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 17:36
S147	1	convert$3 with ccxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 19:04
S164	1	(voice adj browser) with scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 19:51
S197	1	(voice adj browser) with scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:14
S201	1	"20060083362"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:17
S220	1	(call adj control) adj (markup adj language)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:41
S222	1	(call adj control) near ((mark adj up) adj language)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:41

S223	1	ccml and vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:42
S6	2	(translat$3 or convert $3) with (protocol) with vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 10:38
S16	2	scp same (proprietary adj call adj control)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 10:46
S87	2	translat$3 same sr-3511 same tcap	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:10
S107	2	ain and (session adj coordinator)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:37
S123	2	(ain adj protocol) same conversion	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:15
S104	3	ain adj play	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:34
S131	3	S127 adj portal	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:33
S150	3	ccxml with vxml	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/06 19:10
S171	3	sip same voicexml same translat$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:22
S240	3	scp same (convert adj protocol)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/07 12:17
S10	4	(vxml adj browser) and scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 10:41
S23	4	convert$3 with sr-3511	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 11:09
S63	4	(sip adj gateway) same scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:36
S119	4	sr-3511 same conversion	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:12
S145	4	cisco.as. and vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 18:59

S176	4	S175 same scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:34
S207	4	S204 same transcod$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:25
S210	4	voxml same transcod$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:28
S241	4	scp same (convert$3 adj protocol)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/07 12:18
S54	5	vxml same sr-3511	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:00
S88	5	("6148069" | "6470010" | "6496861").PN. OR ("6693898").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/06 15:11
S114	5	(voice adj browser) same scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:50
S165	5	(voice adj browser) same scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 19:51
S195	5	S189 and ain	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 21:14
S198	5	(voice adj browser) same scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:15
S19	6	(call adj control adj protocol) and vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 10:48
S62	6	("20010028654" | "20040101122" | "20050080905" | "6269254" | "6647111").PN. OR ("7184534").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/06 13:34
S151	6	ccxml	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/06 19:11
S158	6	("5610969" | "5793762" | "6359880" | "6463055" | "6614784").PN. OR ("6741695").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/06 19:24

S28	7	voicexml and sr-3511	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 11:23
S33	7	S32 and sr-3511	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 11:40
S168	7	"h.323" same voicexml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:19
S100	8	iscp same http	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:26
S134	8	scp with generat$3 with http	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:47
S169	8	"h.323" same vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:20
S215	8	vxml same msc	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:32
S22	9	S21 same scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 10:50
S38	9	sr-3389 same http	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 11:49
S57	9	voicexml adj interface	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:06
S148	9	interact.as.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 19:06
S153	9	S152 and scp	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/06 19:12
S8	10	S7 and ssp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 10:39
S61	10	sr-3511 same xml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:11
S65	10	(sip adj gateway) and scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:40

S112	10	("20020064267" | "5572583" | "5600640" | "5721729" | "6047308" | "6101242" | "6263372" | "6272217" | "6785378").PN. OR ("7130408").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/06 15:46
S190	10	S189 same sip	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:57
S14	11	vxml same (intelligent adj peripheral)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 10:43
S58	11	vxml adj interface	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:07
S70	11	scp near sip	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:51
S228	11	S227 and "379".clas.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 12:10
S237	11	S235 and xml	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/07 12:16
S173	12	iscp and vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:26
S185	13	convert$3 with sip with xml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:41
S9	14	S7 and scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 10:41
S192	14	S189 and scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:59
S205	14	S204 and scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:20

S209	14	("20030005076" | "4827500" | "5659665" | "5802526" | "5999609" | "6011844" | "6101473" | "6104803" | "6173042" | "6208966" | "6240391" | "6263051" | "6456699" | "6594347").PN. OR ("7054421").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/07 10:27
S218	14	voxml and msc	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:33
S229	14	S227 and "370".clas.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 12:11
S37	15	sr-3511 same http	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 11:47
S166	15	("20020146108" | "20030081744" | "20030091175" | "20030187992" | "20040205614" | "4785408" | "5621891" | "6035275" | "6240448" | "6269336" | "6829334" | "6888828" | "6922411").PN. OR ("7149287").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/06 19:52
S167	15	("20020146108" | "20030081744" | "20030091175" | "20030187992" | "20040205614" | "4785408" | "5621891" | "6035275" | "6240448" | "6269336" | "6829334" | "6888828" | "6922411").PN. OR ("7149287").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/06 19:52
S81	16	S80 same scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 14:45
S98	16	(voice adj extensible adj markup adj language) same scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:23

S181	16	(media adj gateway) same voicexml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:38
S108	19	(network adj session adj controller)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:39
S66	20	(sip adj gateway) and stp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:41
S92	20	S91 and ain	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:20
S186	20	convert$3 with sip same xml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:44
S200	20	vxml same scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:15
S208	20	vxml same transcod$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:26
S40	21	convert$3 with (call adj control adj protocol)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 12:16
S117	21	scp same (protocol near convert$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:57
S143	21	10/134637	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 17:45
S83	22	S80 same ssp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 14:50
S84	22	vxml adj gateway	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 14:50
S149	23	ccxml with vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 19:06
S242	23	scp same (convert$3 near protocol)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/07 12:18
S17	24	(proprietary adj call adj control)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 10:47
S60	24	(call adj control) adj xml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:11

S203	24	vxml adj code	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:18
S212	24	vxml same ccxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:28
S188	25	inap with convert$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:55
S45	26	scp near http	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 12:25
S86	26	vxml and(protocol near conversion)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 14:53
S206	26	S204 same (conver$4 or translat$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:22
S219	28	("20030007609" | "20030202504" | "5029199" | "5471521" | "5668854" | "5729600" | "5946386" | "6044142" | "6130933" | "6163535" | "6229880" | "6304645" | "6335964" | "6353608" | "6373939" | "6396909" | "6418201" | "6421427" | "6459788" | "6473505" | "6480599" | "6512818" | "6553112" | "6556563" | "6829348" | "6885737" | "6928469" | "7027571").PN. OR ("7263177").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/07 10:37
S15	29	vxml and (intelligent adj peripheral)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 10:44
S110	30	S109 and ain	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:41

S124	30	("4232199" | "4577061" | "4611096" | "4625081" | "4685127" | "4706275" | "4782519" | "4791640" | "4893330" | "5068891" | "5195086" | "5222120" | "5452350" | "5555244" | "5590181" | "5640446" | "5732213" | "5774695" | "5793771" | "5987118").PN. OR ("6229819").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/06 16:16
S139	30	S137 and translate	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:53
S121	31	sr-3511 same translation	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:13
S193	31	S189 same convert$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 21:01
S213	31	vxml and ccxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:30
S162	32	sip with vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 19:36
S52	33	ivr same sr-3511	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 12:57
S141	33	S137 and convert	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:55
S34	35	("20020099776" | "20020168055" | "20020176557" | "20030005076" | "20030007625" | "20030018476" | "20030043978" | "20030076941" | "20030083882" | "20030095651" | "20030099336" | "20030108179" | "20030202504" | "20040111269" | "20040141596" |	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/06 11:40

		"20040247094" | "20060182055" | "5017817" | "5572583" | "5913160" | "5917817" | "6125376" | "6320946" | "6381316" | "6381324" | "6404876" | "6426956" | "6438601" | "6456616" | "6631186" | "6813342" | "6816878" | "6879676" | "6882838" | "6947537").PN. OR ("7340043").URPN.				
S41	38	scp same (vxml or (voicexml))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 12:19
S51	40	http and convert$3 and (sr adj "3511")	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 12:35
S89	40	("4827500" | "5369695" | "5425090" | "5428608" | "5430719" | "5438568" | "5463616" | "5479495" | "5499290" | "5517562" | "5519772" | "5526413" | "5528675" | "5537466" | "5566235" | "5572583" | "5901284").PN. OR ("6148069").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/06 15:12
S159	40	S155 and scp and ssp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 19:26
S4	41	((voice adj xml) or (vxml)) and ccxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/02 16:56
S39	41	sr-3389 and http	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 11:49
S157	41	S155 same scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 19:19
S160	41	convert with sip with ss7	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 19:29

S69	42	scp near gateway	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:50
S233	42	xml with ss7	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 12:13
S132	43	S127 adj gateway	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:33
S5	46	((voice adj xml) or (vxml)) and (ccxml or ((call adj control) adj xml))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/02 16:58
S178	48	S175 and voicexml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:37
S1	49	ssp and scp and ((voice adj xml) or (vxml))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/02 16:51
S24	49	translat$3 with sr-3511	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 11:10
S36	49	S35 and "379".clas.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 11:43
S163	53	sip with voicexml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 19:42
S55	55	voice same sr-3511	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:01
S136	56	scp with xml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:50
S50	57	http and translat$3 and (sr adj "3511")	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 12:32
S75	62	scp near (conversion or translation)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 14:18
S113	62	exchang$3 same vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:47
S177	65	S175 and scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:35

S214	65	vxml and msc	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:31
S31	67	S30 same conver$4	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 11:27
S180	68	(media adj gateway) and voicexml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:38
S105	70	ain with play	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:35
S21	73	sip same vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 10:49
S161	73	sip same vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 19:31
S146	74	convert$3 with vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 19:02
S59	78	ccxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:08
S25	79	translat$3 with vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 11:14
S53	82	ip same sr-3511	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 12:58
S116	83	scp same (protocol adj conversion)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:51
S118	83	scp same (protocol near conversion)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:57
S170	83	sip same voicexml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:21
S234	84	xml same ss7	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 12:14
S126	85	S125 same scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:19
S144	86	pstn same vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 18:49

S26	89	translat$3 with voicexml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 11:22
S79	97	S74 same tcp/ip	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 14:21
S138	100	sr-3511	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:53
S243	103	scp same (conver$4 near protocol)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/07 12:22
S137	105	sr adj "3511"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:53
S135	111	scp same xml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:50
S82	117	S80 and scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 14:48
S46	129	scp with http	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 12:25
S7	130	(translat$3 or convert$3) with vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 10:38
S128	141	S127 and scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:21
S129	143	S127 and (scp or (service adj control adj point))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:22
S156	145	S155 and scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 19:19
S72	146	scp same converter	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:53
S246	157	S244 with (conver$4 or translat$3 or transcod$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/08 09:50
S71	158	scp with sip	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:51
S152	165	vxml	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/05/06 19:11

S204	173	voice adj (markup adj language)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 10:20
S235	182	ain adj protocol	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/07 12:16
S35	194	S32 same ivr	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 11:42
S44	204	scp near protocol	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 12:25
S91	204	scp near protocol	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:20
S20	216	sip and vxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 10:49
S73	216	scp same (converter or translator)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:56
S227	229	transcod$3 with xml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/07 12:09
S245	279	S244 same (conver$4 or translat$3 or transcod$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/08 09:49
S64	281	sip same scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:38
S189	284	voxml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:57
S109	316	network same (session adj controller)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:41
S130	558	voice adj portal	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:33
S30	582	S29 same protocol	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 11:26
S68	605	scp with gateway	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:50
S96	771	(voice adj extensible adj markup adj language)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:23

S97	771	(voice adj extensible adj markup adj language)S96 same scp	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:23
S182	922	convert$3 with sip	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:41
S183	922	convert$3 with sip S182 same xml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:41
S184	922	convert$3 with sip S182 with xml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:41
S67	1022	scp same gateway	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 13:50
S74	1166	scp same (conversion or translation)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 14:18
S32	1322	voicexml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 11:40
S133	1445	scp with generat$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:46
S127	1469	vxml or (voice adj xml) or (voice adj extensible adj markup adj language)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 16:21
S80	1620	protocol adj converter	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 14:45
S155	1828	(sip or (sip adj proxy)) adj server	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 19:18
S29	2465	(intelligent adj peripheral)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 11:26
S244	2468	(intelligent adj peripheral)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/08 09:49
S175	2550	(peripheral adj controller)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 20:34
S90	2586	scp same protocol	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2008/05/06 15:20

| S125 | 4440 | protocol adj interface | US-PGPUB; USPAT; IBM_TDB | OR | OFF | 2008/05/06 16:18 |
| S238 | 9878 | scp smae (covert adj protocol) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/05/07 12:17 |

5/8/2008 1:06:18 PM

C:\Documents and Settings\sgay\My Documents\EAST\Workspaces\108040176.wsp